

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
AND DEVELOPMENT

WELL LOG

No. Appli. #5550Date 5-25, 1960Record by well drillerSource driller's record

Location: State of WASHINGTON

County Island

Area

Map Govt. Lot 31/4 1/4 sec. 13 T. 32 N., R. 1 E W.

Diagram of Section

Drilling Co. Island Well Drilling Co.Address Freeland, Wash.

Method of Drilling Date , 19

Owner Alexander J. & E. Gertrude McMillanAddress Coupeville, Wash.Land surface, datum ft. above
below

CORRE- LATION	MATERIAL	THICKNESS (feet)	DEPTH (feet)
------------------	----------	---------------------	-----------------

(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)

	Drift sand	45	45
	Clay	21	67
	Silt	19	86
	Fine sand	7	93
	Medium sand w/b	10	103
	PUMP TEST:		
	Dim. 6"x102'		
	SWL: 87 ft.		
	DB: 3 ft.		
	Yield: 15 g.p.m.		
	Type & size of pump: 3/4 h.p.		
	submersible		
	CASING:		
	6" diam. from 0 to 95 ft.		
	Welded drive shoe		
	PERFORATIONS:		
	10' of Cook wire wound brass #14		
	screens from 94 to 104 ft.		


Turn up

Sheet .. of .. sheets

File number

32, 1W/13J

169555 501 ✓



WASHINGTON STATE
DEPARTMENT OF
ECOLOGY

Well Tagging Form

Unique Well Tag No: APR791

RECORD VERIFICATION (check ✓ one)

- ☒ Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you)
- ☐ Verification inconclusive
- ☐ Well Report not available

WELL OWNERSHIP IF DIFFERENT FROM WELL REPORT

Name: Ocean View Water System

Street Address: 1365 CHATHAM LN

City: OAK HARBOR

State: WA

98277

RECEIVED
MAR 23 2007
DEPT. OF ECOLOGY

WELL LOCATION IF DIFFERENT FROM WELL REPORT

Well Address: 1379 West Bch Rd

City: _____

County: Island

T. 32N R. 01 W.M. Sec. 13 NE 1/4 of the SE 1/4

FOR AGENCY USE ONLY

Latitude: 48 15.58903

Longitude: 122 45.06488

- ☒ GPS
- ☐ Topographic Map
- ☐ Survey
- ☐ Computer generated

- ☐ Digital Altimeter
- ☐ Topographic Map
- ☒ Other: Computer Generated from DEM and GPS XY Coordinates

Elevation at land surface 104 feet meters (circle one)

Additional Information, if available:

- ☐ Location marked on topographic map (please attach)
- ☐ Location marked on air photo (please attach)

Tag placed and well
GPS'd by:



FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)

In Dog House S. Side of Well House

Location of Well Identification Tag:

On Casing

Was supplemental tag needed for easy of identifying well?

☐

Yes

☒

No

If yes, where was tag placed?

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

SECTION: 32N/01W-13

COMMENTS:

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Water Right #

Date Issued:

Circle One:

Application

Permit

Certificate

Claim

Exempt

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
AND DEVELOPMENT

WELL LOG

No. Appli. #5550Date 5-25, 1960Record by well drillerSource driller's record

Location: State of WASHINGTON

County Island

Area

Map Govt. Lot 31/4 sec. 13 T. 32 N., R. 1 E.

Diagram of Section

Drilling Co. Island Well Drilling Co.Address Freeland, Wash.

Method of Drilling Date, 19

Owner Alexander J. & E. Gertrude McMillanAddress Coupeville, Wash.Land surface, datum ft. above
below

CORRE- LATION	MATERIAL	THICKNESS (feet)	DEPTH (feet)
------------------	----------	---------------------	-----------------

(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)

	Drift sand	45	45
	Clay	21	67
	Silt	19	86
	Fine sand	7	93
	Medium sand w/b	10	103
	PUMP TEST:		
	Dim. 6"x102'		
	SWL: 87 ft.		
	DD: 3 ft.		
	Yield: 15 g.p.m.		
	Type & size of pump: 3/4 h.p.		
	submersible		
	CASING:		
	6" diam. from 0 to 95 ft.		
	Welded drive shoe		
	PERFORATIONS:		
	10' of Cook wire wound brass #14		
	screens from 94 to 104 ft.		

Turn up

Sheet 1 of 1 sheets

File number

32, 1W, 130